Bohrtec Front steer MIC	RO-TUNNEL	ING MACHI	<u>NE</u>
Model of M/C	BM 500-S	BM 400-S	Total
M	lachine	1	
Boring Machine			
Power Pack			
Optical Guidance system			
Equipment for hammer boring			
Manual steer			
Extension frame			
ф 324	mm – OD		
Front Steer			
Drilling head & Gauged Auger			
Boring equipment- 50 m by 1 m			
DTH Hammer			
ф 406	mm – OD		
Front Steer			
Drilling head & Gauged Auger			
Boring equipment- 50 m by 1 m			
ф 457	mm – OD		
Front Steer			
Drilling head & Gauged Auger			
Boring equipment- 50 m by 2m			

Model of M/C	BM 500-S	BM 400-S	Total		
φ 559 mm – OD					
Front Steer					
Drilling head & Gauged Auger					
Boring equipment- 50 m by 2m					
Accessories					
Bentonite System					
Mandatory Spares for 324					
Spares excluding hammer spare (drill bit) - 406					
Spares excluding hammer spare (drill bit) - 457,559					
Data Logger					
Cable					
Sensors					
High Pressure Pump					

BM 400S – Boring Machine





BM 400S – Boring Machine





Sensitivity: LNT Construction Internal Use

BM 400S – Cutting Head





BM 400S – Hydraulic Power Pack








Sensitivity: LNT Construction Internal Use

BM 400S - Augers





Sensitivity: LNT Construction Internal Use

BM 400S - Accessories







Sensitivity: LNT Construction Internal Use

BM 400S - Accessories





BM 400S - Accessories



BM 500S – Boring Machine





BM 500S – Boring Machine





BM 500S – Cutting Head







Sensitivity: LNT Construction Internal Use

BM 500S – Hydraulic Power Pack










Sensitivity: I

BM 500S - Accessories





Sensitivity: LNT Co

BM 500S - Accessories





BM 500S - Accessories



